

## It is not just about building and designing boats, it is what we love to do

Our passion for detail and sophisticated Italian design has been our secret since the 1960s.

To meet the needs of our clients, in the 1990s our inhouse production was moved from Italy to Florida, one of the most developed marine areas in the world.

Today, Novurania continues to lead the market. Our heritage and innovation guarantees the production of exceptionally beautiful as well as high-quality boats and luxury yacht tenders.

# A know-how passed on for more than half a century

Since the beginning, we controlled the main phases of the value chain to guarantee excellence and high quality.

We manufacture our own inflatable tube fabric, coated with neoprene CR on the inside and with Hypalon CSM on the outside, delivering exceptional durability and strength.

We are revolutionizing the industry by producing the highest performance line of inflatable boats. Our craftsmanship balances elegant exterior design with meticulous technical mastery beneath the surface.

#### Vertically integrated value chain

From mold to finished product: every step is crafted in-house, allowing complete control and the ability to adapt to every need.

#### In-house engineering & design

Close collaboration with every client, delivering custom lifting points, garage fittings, and tailored solutions.

#### **Customization**

Designed around you: every layout, finish, color, accessory tailored to reflect your personal style and vision.













## DLSERIES



335<sub>OB</sub> 360<sub>OB</sub> 400<sub>OB</sub> 430<sub>OB</sub> 460<sub>OB</sub> 550<sub>OB</sub>









The smallest of the DL series offers a compact stylish set up adaptable to every garage.



<b>LOA</b>	<b>Beam</b>	Seating
11'2"/3.4 m	5'2"/1.6 m	4
Max speed	Fuel capacity	Water capacity
28 MPH	8 gal/30 l	-
Max HP 30 HP OB	<b>CE Category</b> C	Dry weight 420 lbs/191 kg (excl.engine) 645 lbs/293 kg (incl. engine)







The most requested tender for smaller sized garages, the DL 360 offers great comfort and performance.



<b>LOA</b>	<b>Beam</b>	<b>Seating</b>
11'10"/3.6 m	5'6"/1.7 m	6
Max speed	Fuel capacity	Water capacity
32 MPH	8 gal/30 l	-
Max HP 40 HP OB	<b>CE Category</b> C	Dry weight 470 lbs/213 kg (excl.engine) 715 lbs/324 kg







The DL 400 is the perfect mix of comfort and performance. This compact tender is agile and easy to maneuver.



<b>LOA</b> 13'5"/4.1 m	<b>Beam</b> 6'1"/1.9 m	<b>Seating</b> 6
Max speed 36 MPH	Fuel capacity 10 gal/38 l	Water capacity -
Max HP	CE Category	Dry weight
50 HP OB	С	604 lbs/274 kg
		860 lbs/390 kg







The DL 430 is Novurania's best seller. This model has proven to be extremely versatile and well fitting a wide variety of yachts and uses.



<b>LOA</b>	<b>Beam</b>	<b>Seating</b>
14'1"/4.3 m	6'1"/1.9 m	7
Max speed	Fuel capacity	Water capacity
43 MPH	10 gal/38 l	-
Max HP 70 HP OB	<b>CE Category</b> C	Dry weight 620 lbs/281 kg (excl.engine) 880 lbs/399 kg







With its wider beam the DL 460 satisfies the need for a greater deck and seating space without sacrificing agility and performance.



<b>LOA</b>	<b>Beam</b>	<b>Seating</b>
15'0"/4.6 m	7'3"/2.2 m	8
<b>Max speed</b>	Fuel capacity	Water capacity
45 MPH	22 gal/83 l	6 gal/23 l
<b>Max HP</b> 100 HP OB	<b>CE Category</b> C	Dry weight 840 lbs/381 kg (excl.engine) 1220 lbs/553 kg (incl. engine)







The DL 550 is the largest of the Series. Perfect for day trips and excursions. This is the perfect boat for any adventure.



<b>LOA</b>	<b>Beam</b>	<b>Seating</b>
18'1"/5.5 m	7'8"/2.3 m	9
<b>Max speed</b>	Fuel capacity	<b>Water capacity</b>
47 MPH	22 gal/83 l	9 gal/34 l
<b>Max HP</b> 130 HP OB	<b>CE Category</b> C	Dry weight 1020 lbs/463 kg (excl.engine) 1420 lbs/644 kg (incl. engine)

















335<sub>OB</sub>

LOA 11'2"/3.4 m Beam 5'2"/1.6 m Seating 4 360<sub>OB</sub>

LOA 11'10"/3.6 m Beam 5'6"/1.7 m Seating 6 **400**<sub>OB</sub>

LOA 13'5"/4.1 m Beam 6'1"/1.9 m Seating 6 430<sub>OB</sub>

LOA 14'1"/4.3 m Beam 6'1"/1.9 m Seating 7 460<sub>OB</sub>

LOA 15'0"/4.6 m Beam 7'3"/2.2 m Seating 8 550<sub>OB</sub>

LOA 18'1"/5.5 m Beam 7'8"/2.3 m Seating 9







